XEROX® VERSALINK® PRINTERS AND MULTIFUNCTION PRINTERS

Evaluator Guide







Table of Contents

This Evaluator Guide introduces you to the Xerox[®] VersaLink[®] Printers and Multifunction Printers and explains their key features and performance advantages.

INTRODUCING XEROX® CONNECTKEY® TECHNOLOGY

3 Overview

INTRODUCING OUR VERSALINK FAMILY OF PRODUCTS

4 Overview

EVALUATING WORKGROUP PRINTERS AND MULTIFUNCTION PRINTERS

- 5 Count On It
- 10 Well Connected
- 12 Make It Yours
- 13 Introducing Xerox® VersaLink Printers and Multifunction Printers

SPECIFICATIONS, CONFIGURATION SUMMARIES AND OPTIONS

AWARDS

23 Xerox[®] ConnectKey Awards

- 14 Xerox® VersaLink® B400 Printer and B405 Multifunction Printer
- 15 Xerox® VersaLink® C400 Color Printer and C405 Color Multifunction Printer
- 16 Xerox® VersaLink® C500 Color Printer and C505 Color Multifunction Printer
- 17 Xerox® VersaLink® B600 Printer and B605 Multifunction Printer
- 18 Xerox® VersaLink® B610 Printer and B615 Multifunction Printer
- 19 Xerox® VersaLink® C600 Color Printer and C605 Color Multifunction Printer
- 20 Xerox® VersaLink® B7025/ B7030/B7035 Multifunction Printer
- 21 Xerox® VersaLink® C7000 Color Printer
- 22 Xerox[®] VersaLink[®] C8000 and C9000 Color Printers
- 23 Xerox® VersaLink® C7020/ C7025/C7030 Color Multifunction Printer

Xerox[®] Connectkey[®] Technology—the nexus of your complete productivity ecosystem

Today's workplace has evolved beyond the ability of any single machine to fulfill productivity needs of the modern, mobile, always connected workforce. It's time to stop thinking about printers as stand-alone, task-specific workhorses, and start demanding more up-to-date, useful—and useable—solutions.



INTUITIVE USER EXPERIENCE

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

MOBILE AND CLOUD READY

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

BENCHMARK SECURITY

Comprehensive multi-level protection for intrusion, device, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

ENABLES NEXT GENERATION SERVICES

Work more efficiently and manage resources more effectively. Easy integration of Xerox[®] Managed Print Services enables remote monitoring of service delivery and consumables, plus remote configuration for even more time savings.

GATEWAY TO NEW POSSIBILITIES

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at **www.connectkey.com**.

Xerox[®] VersaLink[®] Family of Products

The Perfect Assistant for Every Office

The VersaLink family of products offers a truly compelling value with an affordable total cost of ownership. The innovative functionality built into each product extends its value beyond the printer and multifunction printer (MFP), and maximizes your investment by enabling greater freedom to get work done on your terms.



COUNT ON IT

VersaLink devices consistently and flawlessly deliver the performance and reliability that even the most demanding offices rely on to get their work done more efficiently.

VersaLink devices offer complete dependability through both reliability and benchmark security.

- Highly dependable—hardware and software reliability
- Hassle-free productivity
- Solid data security to safeguard customers' data, delivering the security capabilities that every type of business demands today.
- Inspire confidence—it just works every time
- Simplified device installation and management, without the need for IT support



WELL CONNECTED

Connect to what you want, how you want. Wherever your work takes you, Xerox gives you the freedom and convenience to work when you want, where you want, with the devices you use every day.

In line with the shift toward mobile device reliance, VersaLink devices meet the expectation of the most advanced office technologies.

- Enable mobile workers to leverage the capabilities of printers and MFPs in the manner that works best for them (secure mobile connectivity)
- Extend traditional MFP functionality to mobile platforms with the Xerox® Mobile Link App
- Connect users to the services they use today, such as cloud repositories and popular third-party apps (speed up information sharing and streamline multistep workflows)



MAKE IT YOURS

VersaLink devices provide a balance of simplicity and efficiency, presented in a familiar and comfortable interface that makes accomplishing tasks intuitive. It means less time learning and more time doing.

VersaLink product design intent is heavily influenced by ongoing changes in workforce behavior.

- Highly intuitive user experience strikes a balance between simplicity and efficiency with the ability to personalize and customize for each user
- Range of useful built-in apps with the ability to add more (build your own)
- Blending the expected performance of today's devices with the unique needs of using a printer or MFP

Reliable, productive and easy to use. With Xerox[®] VersaLink[®] printers and multifunction printers, you'll consistently and flawlessly perform the tasks that make your business work more efficiently.

RELIABLE

With a range of features and functionality you'll use every day, VersaLink devices take reliability and workplace efficiency to a new level of ease and automation right out of the box.

- Xerox® Standard Accounting. Manage, track and report device usage to control print quantities and chargeback options for print, scan, copy and fax. Advanced solutions are available for Network Accounting from Xerox Business Innovation Partners, delivering even more helpful tools, such as ID and proximity card systems for larger office environments.
- **Duplex printing.** With automatic two-sided printing (standard on DN configurations), multi-page print jobs are automatically printed on the front and back side of each sheet of paper for increased efficiency and reduced paper usage.
- Single-Pass Duplex Automatic Document Feeder. With many of our VersaLink multifunction printers, you can get even more reliability and longevity with fewer moving parts on our Single-Pass Duplex Automatic Document Feeder (DADF).
- Auto-Color Scanning (ACS). This feature allows the device controller to check if the document is color or black-and-white, and then adjust accordingly.
- Genuine Xerox® supplies. Using genuine Xerox® toner in your VersaLink printer or multifunction printer will ensure that prints are delivered with consistent quality and keep your device running at optimal level and free from damage by inferior thirdparty supplies. Testing conducted by independent printer evaluation laboratories proved genuine Xerox® supplies are more

reliable and deliver up to 27% higher page yields than aftermarket alternatives. When non-Xerox® supplies are detected by the device, a warning screen will appear informing the customer that genuine Xerox® supplies were not detected.

- Automated supplies notification and ordering. Customers enrolling or participating in one of the excellent metered or managed print service programs get the added benefit of Automated Supplies Replenishment (ASR). With ASR, our VersaLink devices can automatically talk to our ordering systems, giving you a Xerox virtual administrator that continuously watches over your fleet so you don't have to—at no extra cost. No need to react when the device tells you that toner is running low. The ASR service will instantly put in an order for the supplies, without human intervention.
- Front of device access. Customer replaceable toner cartridges are especially easy to replace on VersaLink devices. No need to rotate or move the device when performing routine maintenance tasks.
- Remote Service Functionality. Users can perform troubleshooting and diagnostics right from their computer, eliminating multiple trips to the printer or multifunction printer. Troubleshooting hints and tips are also provided to the user, right at the device UI, keeping the device up and running without additional trips.
- Remote Services Upgrade. Using this feature, administrators can perform firmware upgrades to VersaLink printers and multifunction printers from a central location, rather than traveling to the actual site of the device.

- ENERGY STAR[®] qualified. VersaLink printers and multifunction printers meet the stringent ENERGY STAR requirements for energy use and the EPEAT[®] comprehensive environmental rating system.
- Certifications and sustainability. At Xerox, we work to ensure that our devices meet or exceed standards so that Xerox® devices are engineered in an environmentally smart and sustainable way. Learn more by visiting www.xerox.com/environment.
- Energy management. With Cisco EnergyWise®, enabled by Xerox® Power MIB (Management Information Base), you can control, manage and report your device's power consumption information, and set optimal power states and timeout intervals.
- Xerox® Workplace Solutions. Boost productivity and reduce costs with our modular print management and mobility solution. Control and manage your printer fleet while enabling mobile productivity with simplified workflows, convenience and security—for any brand printer, anywhere. Choose between two hosting options, each with its own features and licensing specifics:
 - Xerox[®] Workplace Suite. On site with your server. This is the ideal choice for those who need productivity for mobile devices and workers, but have additional requirements for data control.
 - Xerox[®] Workplace Cloud. Simple setup and cloud administration. This is an ideal choice for organizations with limited access to IT support, companies with more than one network or looking to reduce their infrastructure.

(CONTINUED)

PRODUCTIVE

Revolutionize your workflow—and get more done—with time-saving productivity enhancers and new capabilities that work without additional IT investment.

- Print Around. Print Around is an automatically enabled feature that eliminates print bottlenecks and directs print job flow. If a job needs resources, (such as mismatched media type, color or size), other print jobs will go around the held job. This keeps jobs moving when there is an issue with one print job.
- Consistent operation across products. A common look and feel across all VersaLink devices makes it easy and intuitive for users to go from one Xerox[®] product to another without additional training.
- LAN Fax. Use this feature to send faxes directly from your PC without printing the document or going to your Xerox[®] multifunction printer. Through the driver for the multifunction printer, you can send a document via fax to other fax machines. This feature requires the installation of Walk-up Fax.
- Fax Forward to Email. When sending and/ or receiving faxes, this feature allows a copy of the fax to be forwarded to an email address; enabling archiving as well as saving paper retrieval and distribution time.
- Print from and Scan to USB. Conveniently print your document directly from your USB device or scan your document directly to it, right from the main screen of the user interface.
- Saved Job. Saved Job is the perfect solution for files that need to be printed on a regular basis. These documents are stored on the printer or MFP and can be reprinted on demand from the front panel.
- Digitize your current paper-based workflows. VersaLink multifunction printers can scan documents to create textsearchable PDFs and single and multi-page PDFs for easy archiving, organizing and searching. This is made possible with built-in

optical character recognition (OCR), a critical component in digitizing any paper-based workflow.

- True multi-tasking. With this feature, VersaLink multifunction printers can copy, print, fax and scan at the same time. There is no wasted time for walkup users at the device and all jobs are held in the same queue.
- Scan and Fax Preview. With VersaLink multifunction printers, users can ensure accuracy by previewing the scanned file before sending it. This feature also allows users to rotate pages, as well as add additional pages to the scan or fax prior to sending.
- Annotation. Annotation allows users to add Page Numbers, Comments, or Dates onto copies. Annotation also supports Bates Stamping, allowing placement of identifying numbers commonly used in the legal and medical fields of copied documents.
- Common Driver Platform. VersaLink printers and multifunction printers include common print drivers, which feature clear graphical user interfaces that provide for easy, intuitive interaction with the device. The drivers provide immediate desktop access to all Xerox[®] device output functions, as well as bidirectional information, indicating device and job status, currently loaded paper sizes and types, and installed options, eliminating the need to consult other software for information. Easy-tounderstand icons access the most commonly used functions, such as paper selection and document finishing. With the Saved Settings feature, frequently used print job parameters can be stored for reuse.
- Bi-directional Real-time Status. Bi-directional communication between the printer or multifunction printer and computer provides real-time notification on the status of jobs, paper trays and other supplies. Users stay more productive as there's no need to be in front of the device. Bi-directional communication will also

auto-configure the printer driver, providing access to installable options (additional trays, finishing, etc)—no need for users to manually configure printer drivers.

- Xerox® Global Print Driver®. This truly universal print driver lets IT administrators install, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.
- Concurrent wired and wireless support. VersaLink devices support both an Ethernet connection and a Wi-Fi® connection (via an optional wireless network adapter) at the same time. VersaLink printers and MFPs can then be discovered via Apple® AirPrint® or Mopria® Print Service, even when connected to the wired network. This also allows you to make the printer or MFP available to guest users via Wi-Fi Direct®, even when your guests are not connected to your wireless network.
- Scan to App. This feature provides access to all scan destinations and features in one, easy-to-find location at the touchscreen UI.
- Xerox[®] ConnectKey[®] for DocuShare[®]. Scan files directly into Xerox[®] DocuShare[®] folders from your VersaLink multifunction printer. This workflow solution automatically converts documents into intelligent, structured data with easy file naming and routing tools.
- Earth-smart printing. Our innovative Earth Smart feature in our print drivers allows you to reduce costs while choosing the most environmentally sensitive options for your print jobs.
- Booklet Layout. Booklet Layout automatically scales and reorients pages of a print job to create a booklet. Print jobs can be printed onto different paper sizes, with margins adjusted and page borders added. Additionally, spacing can be adjusted to allow for folding and stapling as well as the reading order of pages within the job.

(CONTINUED)

INSTALLATION

With Xerox[®] VersaLink[®] devices, you're ready to go—hassle free—right out of the box, even in environments with little-to-no IT support.

- Initial Install Wizard. Installation is easy with the initial install wizard that provides step-by-step instructions and configuration options right from the user interface. This wizard guides users through settings from basic to advanced settings.
- Customer Replaceable Units. We engineered our VersaLink printers and multifunction printers with a simplified design so you can stay up and running. Easily and quickly replace components, such as the imaging drum or toner cartridge.
- Driver deployment. Print and scan drivers can be deployed centrally, eliminating the need for IT staff to perform desk-to-desk manual installation of the driver software. In many cases, existing Xerox® drivers on your network can work with your new hardware, potentially saving the step of updating your driver software. Wizards provided within Xerox® CentreWare® Web aid in installing, troubleshooting and upgrading your driver software, freeing up your IT staff for more pressing projects. The Xerox[®] Global Print Driver[®] supports Xerox[®] and non-Xerox[®] devices on the network. eliminating the need for other print drivers and saving hours of downtime.

• Configure once, apply fleet wide.

VersaLink device configurations can be cloned and distributed to all similar devices on your network, eliminating the need to configure and manage each device individually. Cloning can be completed using several different methods. Users can utilize the Embedded Web Server or there are a variety of managed print services tools for customers enrolled in a managed service program.

- Embedded Web Server. Allows networked users to connect to their printer or multifunction printer via any standard web browser to install print drivers, monitor printer status, view the print job queue, manage settings and properties, and access troubleshooting and support resources.
- LDAP Mapping. LDAP servers display different results depending on how they implement mappings. You can complete simple email address searches with LDAP and Scan to Email jobs. Our full integration is the differentiator. Our LDAP Mapping integrates with the address book, User Permissions and Scan to Home. In addition, this feature automatically suggests contacts by searching the device address book and LDAP as characters are entered.
- Xerox[®] CentreWare Web Software. This free, device management solution for IT makes it easy to install, configure, manage, monitor and pull reports from networked and multifunction printers throughout an enterprise, regardless of the manufacturer.
- A help desk at your fingertips. Get quick, easy, step-by-step troubleshooting assistance with embedded help videos right on the user interface.
- Xerox® Remote Print Services with install wizard. Customers enrolling or participating in one of our metered or managed print service programs get the added benefit of Automated Supplies Replenishment (ASR). Save time with our suite of remote services, and let us manage your devices for you. This includes:
 - Xerox[®] MeterAssistant[®] Service.
 Automates the process of collecting and submitting meter reads for tracking and billing of Xerox[®] device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time.
 - Xerox[®] SuppliesAssistant[®] Service.
 Automatically orders supplies for Xerox[®] output devices based on actual usage, eliminating the need to manually manage supplies inventory.

• On-demand reset to factory defaults. To ensure the security of your data, VersaLink devices can be fully reset back to a factory state.

INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our tiltable, capacitive color touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with our VersaLink printers and multifunction printers get more work done, faster.



View a demo of our VersaLink device touchscreen at www.xerox.com/ VersaLinkUIDemo.

(CONTINUED)

SECURITY: A HOLISTIC PROTECTION FOR YOUR PRINTER OR MULTIFUNCTION PRINTER.

Xerox has long ago recognized and embraced this shift in technology and the evolving needs of the workplace. We offer a comprehensive set of security features to keep your printers and your data safe. Xerox secures every part of the data chain, including print, copy, scan, fax, file downloads and system software. There are four key aspects to our multilayered approach.

Intrusion Prevention

ConnectKey Technology utilizes a comprehensive set of capabilities that prevents malicious attacks, the proliferation of malware, and misuse of/unauthorized access to the printer, whether from transmitted data or direct interaction at the device.

All possible access points are secure, including the user interface and input ports accessible to walkup users as well as PC, server, mobile devices or cloud connections.

Device Detection

Xerox[®] ConnectKey[®] Technology runs a comprehensive Firmware Verification test, either at start-up or when activated by authorized users. This provides alerts if any harmful changes to the printer have been detected.

Document and Data Protection

Our comprehensive security measures don't stop with preventing unauthorized access to your printer and securing your information from the inside. ConnectKey Technology provides capabilities to prevent intentional or unintentional transmission of critical data to unauthorized parties.

From protecting printed materials by not releasing documents until the right user is at the device, to preventing scanned information reaching beyond its intended recipient, ConnectKey Technology offers the safeguards you need to keep your most critical data assets safe and secure.

Xerox also protects all your stored information, using the highest levels of encryption. You can delete any processed or stored data that is no longer required using National Institute of Standards and Technology (NIST), and U.S. Department of Defense approved data clearing and sanitization algorithms¹.

External Partnerships

ConnectKey Technology provides extra security standards through our partnership with Cisco. We measure our performance against international standards with certifications like Common Criteria and FIPS 140-2 to ensure our devices are trusted in even the most secure environments.

¹ Applies to devices with hard disk drives only



Intrusion Prevention



Device Detection



Document & Data Protection



External Partnerships

(CONTINUED)

VERSALINK SECURITY FEATURES

Xerox® VersaLink® devices include the following features, technologies and solutions to ensure your data and network is kept secure.

- Secure Print with print queue deletion. With this feature, users are required to enter a passcode at the device to release a job or can delete jobs from their queue. That means fewer documents are unnecessarily printed and left at the device.
- Personal and Secure Jobs. Personal and Secure Jobs ensure sensitive or confidential documents do not pose a security risk by sitting in the output tray for anyone to pick up. Users enter a 4-10 digit passcode when submitting their print job, and then simply enter this same passcode at the front panel of the printer or MFP to print their private job that's been held.
- Hard Disk and SSD encryption. This feature effectively safeguards your data from unauthorized access while it's being processed, transmitted or stored in the printer or multifunction printer.
- Protect your information. With Immediate Image Overwrite, the VersaLink C400 Color Printer and VersaLink C405 Color Multifunction Printer can automatically erase image data from the device after each job.
- Secure Email with TLS 1.2. Securely scan and send email to third-party mail service providers with Transport Layer Security (TLS). With this security feature, your VersaLink multifunction printer will keep emails safe and free from unauthorized access.
- Simultaneous HTTP/HTTPS with Self-signed Certificates. Support for simultaneous HTTP/HTTPS connections allows HTTP and HTTPS connections, services and functions. Communications that depend on and require HTTPS functionality will also work seamlessly without the need to first enable HTTPS and configure certificates; eliminating complicated manual setup and configuration.

- Stay compliant with regulations. Our VersaLink devices comply with the latest security standards, including the Federal Information Processing Standard (FIPS) 140-2, Department of Defense (DoD) Security standards and undergo the full-system Common Criteria (undergoing evaluation) certification process. Controls are available to match your security needs and conform to any standards across industries, government, finance and healthcare.
- Password Protected PDF. Users have the option to encrypt PDF files with a password when using the Scan to Email service on VersaLink multifunction printers. This technology provides protection outside of your firewall, securing data in an unsecure environment using industry-standard protocols such as Secure PDF.
- **Role-based permissions.** Assign different levels of access to users in environments where Administrator-level security isn't necessary.
- Prevent attacks. VersaLink devices give administrators the ability to set lockout limits for users logging in. For example, if the administrator sets a limit of three attempts and all three fail, that user will be locked out for a set period of time. This prevents automated dictionary-style attacks to gain access.
- Audit Logs. Track access and activity by document, user and function on VersaLink printers and multifunction printers. The Audit Log is disabled by default; it can be enabled and disabled in the Embedded Web Server.
- Common Access Card Support

(CAC/PIV). This ensures secure printing using Common Access Card (CAC)/Personal Identity Verification (PIV) card technologies and attaches the print-job sender's identity certificate to the print job. At the device, the user must authenticate with the user's CAC/PIV card before releasing the job.

- USB card-based authentication. VersaLink devices can be upgraded with optional solutions to deliver even greater cost control capabilities. They support many USB card-based authentication technologies that enable users to log into the device using a proximity card, student ID or security card, providing a secure method of authentication, tracking usage and billing.
- Authentication, authorization and accounting (AAA). VersaLink devices support a robust set of features that help you control access, enforce policies, monitor usage and obtain information so you can bill for services.
- **Print User ID in the print margin.** With this feature, user information is printed in the margin of the first page to quickly help users identify which pages are theirs, as well as eliminating costly and wasteful banner pages.
- Cisco[®] Identity Services Engine (ISE) **Integration.** Centrally manage and deploy printer security policies. Our partnership with Cisco provides greater Xerox® print device detection capabilities, resulting in finer-grain security policy enforcement. Xerox[®] devices are automatically recognized and classified by Cisco ISE, permitting network access control and reduction of overhead by eliminating manual entry of printer attributes. Our profiling of printers with Cisco ISE thwarts spoofing attempts by saboteurs to gain unfettered access to sensitive systems. Xerox[®] print device integration with Cisco ISE provides an operationally efficient approach to meeting security policy objectives.

Well Connected

Mobile-ready and cloud-connected. The office of the future is here today. Xerox[®] VersaLink[®] printers and multifunction printers enable the advanced connectivity mobile workforces need to collaborate, share and process the documents and information that keep your business running.

MOBILITY

VersaLink devices provide unprecedented mobile access from any device, with multiple connectivity options and no complicated setup.

Standard Mobility Solutions

- Apple[®] AirPrint[®]. With AirPrint, you can print emails, photos and important office documents directly from your favorite Apple devices, including iPhone®, iPad® and your Mac®. Additionally, Mac users can scan via AirPrint. With AirPrint, your iPhone, iPad or Mac automatically locates and connects to the AirPrint-enabled device over your Wi-Fi® and/or Ethernet network. For enhanced security and controllable printing, Apple AirPrint offers accounting support as well as IPP attributes, which enables more complicated finishing options and print settings, such as two-sided printing, page range, quantity and color or black-andwhite.
- Mopria® Print Service. This allows Android[™] device users to easily and wirelessly discover and print to Mopriacertified Xerox® and non-Xerox® printers or multifunction printers without installing drivers or downloading additional apps or software. As a founding member of the Mopria Alliance, Xerox continues to shape innovation in the mobile printing arena and ensures that both our current and future technologies are keeping up with the ever-evolving mobile landscape.
- Wi-Fi Network Adapter (Wi-Fi Kit). With this optional hardware, you can easily set up and place your VersaLink printer or multifunction printer anywhere you need it without costly additional network reconfiguration and wiring.

- Xerox® Mobile Link App. This free app allows you to scan, email and fax from your Android or iOS-based mobile device to VersaLink multifunction printers and send data to and print data from cloud storage. Downloaded from the Google Play™ Store or Apple App Store, Mobile Link resides on your mobile device. Once installed, easily create Mobile Link one-touch workflows between a mobile device and a VersaLink Multifunction printer. Use a manual address or allow automatic device discovery to find and pair your mobile device with a nearby Xerox® multifunction printer.
- Xerox® Mobile Express Driver®. This feature makes it easy for mobile users to find, use and manage Xerox® and non-Xerox® devices in every new location. Plug into a new network, and Xerox® Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of "favorite" printers for each location, store application print settings for use on any printer in any network and greatly reduce mobile support calls to IT.
- NFC Tap-to-Pair. With Near Field Communications (NFC) Tap-to-Pair, users can simply tap their Android device to a VersaLink printer or multifunction printer to establish a direct connection. Once established, printing is handled using a wireless connection if the optional wireless network adapter has been installed. If the wireless network adapter is not installed, printing is handled via the Ethernet network. This feature allows for greater security and results in less waste as users are in direct proximity to the device.¹



- Wi-Fi Direct[®]. This ensures that you can print to VersaLink printers and multifunction printers from your mobile device without having to connect to a network. Adding the optional wireless network adapter enables this connection and allows for both an Ethernet connection and Wi-Fi Direct connection to be enabled at the same time.
- Xerox® Print Service Plug-in for Android™. This unique, full-featured plug-in for KitKat (4.4 or greater) devices streamlines mobile printing without third-party apps or additional print drivers. After downloading this free plug-in from the Google Play™ Store, you can easily print photos, Web pages and documents when your mobile device is connected to VersaLink multifunction printers using a wireless network. Robust printing options include color or black-and-white printing, number of copies, paper orientation, two-sided printing, stapling, Secure Print/ Secure Code Release and more.
- **TWAIN scanning push and pull.** This feature further simplifies network TWAIN scanning by allowing users to pull the scan back to their PC without the need for a password.
- ¹ If the Wireless network Adapter is not present, print jobs submitted from an Android device will route via Ethernet only if the customer has configured their network appropriately.

Well Connected

(CONTINUED)

Advanced Mobility Solutions

• Xerox® Workplace Solutions. Xerox® Workplace Solutions make mobile printing simple and seamless, even with complex network configurations. Users won't need IT support to get up and running—raising productivity for everyone. Whether you submit your jobs to our single queue from your desktop PC or mobile device, you can review, select job settings, print or delete them from any networked printer.

- Provides native desktop application printing with Microsoft Windows® OS devices and Google® Chromebooks™, Mac® OS, Linux® and mobile app printing for iOS, Android™ and Windows Surface™ tablet (server queue mode only)
- With a traditional pull/follow printing workflow, send jobs to a single queue for release and retrieve when ready
- Stay inside your network or use the cloud


However you work, there's a Workplace Solution for you. Xerox® Workplace Suite keeps everything within your network, while Xerox® Workplace Cloud gives you the flexibility to work across multiple networks an locations.

Learn more by visiting **www.xerox.com/mobility**.

CLOUD

Reach new heights of mobile productivity with cloud-ready apps that keep your workforce connected from any location.

- Support for Google Cloud Print™ 2.0. Xerox® VersaLink printers and multifunction printers are enabled with secure cloud printing, an ideal solution for workers on the go. Securely and directly connect and register with the Google Cloud Print service and your smartphone, tablet, laptop or traditional desktop device will always be available wherever you are. No need to install and maintain print drivers or additional software.
- Cloud connections. VersaLink multifunction printers come standard with embedded apps, such as DropBox[™], Microsoft[®] OneDrive[®] and Google Drive[™] online storage service so users can easily print from and scan to the locations they use every day.



For more information, go to www.xerox.com/MobileLink.

Apple[®] AirPrint[®] and Xerox[®] Print Service Plug-in for Android[™] are standard/free-of-charge protocols for Apple iOS, Android and Xerox[®] ConnectKey[®]-enabled devices. Xerox[®] Mobile Print is an add-on software product that allows users to print to Xerox[®] or non-Xerox[®] print devices.

Make It Yours

Time-saving apps and a personalized user experience. Be prepared to interact with VersaLink[®] printers and multifunction printers in a whole new way. Create customized workflows with easy-to-use apps and configure your interface to keep the functions you use most front and center.

APPS

VersaLink multifunction printers come preloaded with mobile-like apps that simplify common tasks and allow for easy customization. Download additional apps based on your business needs, or engage our partners to build new business-specific apps to reduce complicated workflows to singletouch simplicity.

- Xerox® ConnectKey® Apps and Xerox App Gallery. With the touch of a button, you can go to our Xerox App Gallery and download these lightweight, serverless apps to your VersaLink printer or multifunction printer to increase user productivity and shorten everyday tasks. ConnectKey Apps empower you to easily customize your workflow with apps such as @PrintByXerox, Xerox® Easy Translator Service and Xerox® Healthcare MFP¹.
- Xerox® App Studio. Customize your workflow even further by having your partner or reseller use the Xerox® App Studio tool to build new ConnectKey Apps for your business. Scan and send documents to multiple locations at the same time, or create information apps that communicate business-critical information, such as promotions, business updates, marketing campaigns and more—right at the user interface. The possibilities are limitless.
- Native apps. VersaLink multifunction printers have ready-to-use embedded apps preloaded on the device that allow you to easily scan your documents and send them to DropBox[™], Google Drive[™] or Microsoft[®] OneDrive[®] without tedious setup.
- Xerox Extensible Interface Platform[®]. Our VersaLink printers and multifunction printers come equipped with an open platform that is customizable to fit your

work environment and needs. This key unlocks your ability to simplify everyday tasks that make the MFP easier to use and allows the MFP to run third-party solutions that enable an even more tailored workflow.

• Xerox® Easy Translator Service. This service allows customers to scan a document and receive a translated print of the document or email notification. Users can also send a digital image from a mobile device or a PC that is forwarded for translation. This is offered for both iOS and Android[™] devices. For more information, visit https://xeroxtranslates.com.

PERSONALIZATION

Configure your VersaLink printers and multifunction printers to make the user experience personal by machine, fleet, workgroup or individual.

- Familiar app-style user interface. Our VersaLink printers and multifunction printers feature a user interface that behaves much like the mobile devices we're all accustomed to using. To simplify the user interface even further, a highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center.
- Customized UI Support. Customize and simplify each user's experience by moving and hiding icons based on user logins and creating presets for common workflows. Users can access the functions they use most with just one touch.
- 1-Touch Apps. 1-Touch Apps simplify and automate lengthy multi-step workflows by allowing users to save common tasks and their respective job settings as an "app" that

appears on the device home screen. Users simply tap their new app to accomplish their task with a single touch.

- Unified Address Book. The unified address book lets you seamlessly import your existing contacts and roll them out to multiple VersaLink multifunction printers.
- **Personal Favorites.** Personal Favorites allows each user to create and quickly access their favorite contacts from the unified address book. No need to browse through multiple contacts, favorites are front and center!
- Intelligent Search. This feature allows users to type in the first few letters of a contact's name and then the VersaLink device will suggest contacts which meet similar search criteria.
- Jobs service. Easily manage jobs and view their status from the Xerox[®] Embedded Web Server, print driver or device front panel. Our clear graphical interfaces provide for easy, intuitive interaction with the printer or multifunction printer.
- Application defaults. Adjust settings for specific applications, such as always printing Microsoft[®] PowerPoint[®] files 2-up and in black-and-white.
- Maintain control. With User Permissions, you can restrict access to print features by user, group, time of day and application. To limit color printing, you simply select a rule that makes all Microsoft[®] Outlook[®] emails automatically print in black-and-white and in duplex mode.
- Feature Access Control. This feature allows administrators to control costs by limiting features to certain users and makes it easier for those users to see only the services they use.

¹ Xerox[®] Healthcare MFP is available in the U.S. only.

Introducing Xerox[®] VersaLink[®] Printers and Multifunction Printers



Specifications, Configuration Summaries and Options

XEROX® VERSALINK® B400 PRINTER AND B405 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B400N	VersaLink B400DN	VersaLink B405DN
peed	Up to 47 ppm letter/Up to 45 ppm A4		
uty Cycle ¹	Up to 110,000 pages/month ¹		
rocessor/Memory	1.05 GHz Dual Core/2 GB		
onnectivity	Ethernet 10/100/1000 Base-T, High-speed USB supported), NFC Tap-to-Pair	3.0, Wi-Fi 802.11n and Wi-Fi Direct with a	optional Wi-Fi Kit (concurrent wired and wireless connections
ontroller Features		oning, Scan Preview (B405), Xerox Extensil e user interface and print driver)	ble Interface Platform®, Xerox App Gallery, Xerox® Standard
Paper Handling Paper Input Standard	NA		Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)
	Bypass Tray: Up to 150 sheets; Custom sizes: 3		
	Tray 1: Up to 550 sheets; Custom sizes: 5.8 x 8.		
ptional	3 Additional Trays: Up to 550 sheets each; Cu	ISLOTTI SIZES: 5.8 X 8.3 IN. LO 8.5 X 14 IN./ 148	x 2 10 mm to 2 16 x 356 mm
otal Capacity (std./max.)	700 sheets/2,350 sheets		
aper Output	250 sheets		
utomatic Two-sided Output	N/A	Standard	
rint and Copy esolution	Print: Up to 1200 x 1200 dpi (enhanced)		Print: Up to 1200 x 1200 dpi (enhanced) Copy: Up to 600 x 600 dpi
irst-page-out Time as fast as)	Print: As fast as 8 seconds		Print: As fast as 8 seconds Copy: As fast as 6 seconds
age Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Ado	be® PostScript® 3™	
NTUITIVE USER EX	PERIENCE		
ustomize and Personalize	Walkup customization, Personalize Home Scree Gallery and Xerox® App Studio	en by User, Multiple Home Screens with Si	mple ID, Customize by Site, Function or Workflow with Xerox App
rint Drivers	Job Identification, Bi-directional Status, Job Mo	onitoring, Xerox® Global Print Driver® and	Mobile Express Driver®
erox [®] Embedded Web Server	PC or mobile—Status Information, Responsive	Design, Settings, Device Management, C	loning
eview	NA		Preview of Scan/Fax with Zoom, Rotate, Add Pa
rint Features	Print from USB, Secure Print, Sample Set, Perso Driver Settings, Bi-directional Real-time Status,	nal Print, Saved Job, Xerox® Earth Smart E Scaling, Job Monitoring, Application Defe	Driver Settings, Job Identification, Booklet Creation, Store and Rec aults, Two-sided Printing (as default), Skip Blank Pages, Draft Mod
can and Fax ²	NA		Scan to USB/Email/Network (FTP/SMB), Scan Fi Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenie Features: Scan to Home, Searchable PDF, Single Multi-Page PDF/XPS/TIFF/Password Protected F Fax Features: Walk-up Fax includes LAN Fax, Dir Fax, Fax Forward to Email), Unified Address Boo Optical Character Recognition (OCR)
OBILE AND CLOUD	READY		
lobile Printing	Apple [®] AirPrint ^{® 5} , Google Cloud Print [™] Ready, >	Kerox® Print Service and Mopria® Print Ser	vice Plug-ins for Android™, @PrintByXerox
lobility Options	Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Co Visit www.xerox.com/officemobileapps for a		ox [®] Mobile Link App (B405) ³ .
loud Connectors ³	Print from/Scan to ⁶ Google Drive™, Microsoft® (DneDrive®, Dropbox™, Microsoft Office 36	5 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more
ENCHMARK SECURI	ТҮ	·	
etwork Security	IPsec, HTTPS, encrypted email. Network Authe Services Engine (ISE) integration	ntication, SNMPv3, SSL/TLS, Security Cer	tificates, Pre-installed Self-signed Certificates, Cisco® Identity
evice Access	Firmware Verification, User access and internal (CAC/PIV/.NET), Xerox® Integrated Card Reade		og, Access Controls, User Permissions, Smart Card Enabled
ata Protection	Setup/Security Wizards, Job Level Encryption vi Common Criteria Certification (ISO 15408) (B4		
Ocument Security	Secure Print, Secure Fax (B405), Secure Email (I	3405), Password Protected PDF (B405)	
NABLES NEXT GENE	RATION SERVICES		
rint Management	Xerox [®] Workplace Suite and Xerox [®] Workplace	Cloud ⁴ , Configuration Cloning, Xerox [®] Sto	andard Accounting, Equitrac ⁴ , Y Soft ⁴ and more
anaging Print	Xerox [®] Device Manager, Xerox [®] Support Assiste		
ustainability	Cisco EnergyWise [®] , Earth Smart Printing, Print		
ATEWAY TO NEW P	5,	<u>_</u>	
loud Services	Xerox® Easy Translator (B405) ⁴ , Xerox® Healtho	are MFP (B405 – U.S. onlv)4. CapturePoint	t™ (B405)4, many additional services available
erox App Gallery			g selection of Xerox® apps available for adding functions to the
			ne; ³ Free optional download from Xerox App Gallery to the Printer— 05.
ertifications	Options		⁷ Average standard pages. Declared Yield in accordance with

Certifications		Options		⁷ Average standard pages. Declared Yield in accordance with
To view the latest list of certifications, go to		550-sheet Feeder (B400)	497K13620	ISO/IEC 19752. Yield will vary based on image, area coverage
www.xerox.com/OfficeCertifications		550-sheet Feeder (B405)	497K13630	and print mode.
Supplies		Productivity Kit with 16 GB Solid State Drive	097S04913	⁸ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and
Standard Capacity Toner Cartridge:		Stand	497K13660	machine speed. For more information, visit
5,900 pages ⁷	106R03580	Wireless Network Adapter (Wi-Fi Kit)	497K16750	http://www.office.xerox.com/latest/SUPGL-01.PDF.
High Capacity Toner Cartridge: 13,900 pages ⁷	106R03582	External Card Reader/RFID Kit (B400)	497K18380	
Extra High Capacity Toner Cartridge:		Internal Card Reader/RFID Kit (B405)	497K18120	Configurations vary by geography.
24,600 pages ⁷	106R03584			
Drum Cartridge: 65,000 pages ⁸	101R00554			

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB405Specs.

XEROX® VERSALINK® C400 COLOR PRINTER AND C405 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink C400/N	VersaLink C400/DN	VersaLink C405/N	VersaLink C405/DN		
Speed	Up to 36 ppm color and black-and-white (Letter)/35 ppm color and black-and-white (A4)					
Duty Cycle ¹	Up to 80,000 pages/month ¹					
rocessor/Memory	1.05 GHz Dual-Core/2 GB					
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair					
Controller Features	Unified Address Book (C405), Configuration Cloning, Scan Preview (C405), Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting, Online Support (accessed from the user interface and print driver)					
Paper Handling Paper Input Standard	NA		Single-pass Duplex Autom Custom Sizes: 5.5 x 5.5 in. to	atic Document Feeder (DADF): 50 sheets: 8.5 x 14 in./140 x 140 mm to 216 x 356 mm		
	Bypass Tray: 150 sheets; Cust	om sizes: 3 x 5 in. to 8.5 x 14 in./76 x 12	7 mm to 216 x 356 mm			
	Tray 1: 550 sheets; Custom siz	es: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210	mm to 216 x 356 mm			
Optional	Tray 2: 550 sheets; Custom siz	es: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210	mm to 216 x 356 mm			
aper Output	250 sheets					
utomatic Two-sided Printing	N/A	Standard	N/A	Standard		
rint and Copy Resolution	Print: Up to 600 x 600 x 8 dpi		Print: Up to 600 x 600 x 8 d	pi; Copy: Up to 600 x 600 dpi		
rst-print-out Time	As fast as 13 seconds color/12	seconds black-and-white	·			
irst-copy-out Time	As fast as 11 seconds color/8 se	econds black-and-white				
age Description Languages		PEG/HP-GL/Adobe [®] PostScript [®] 3™				
NTUITIVE USER EX						
Customize and Personalize			ne Screens with Simple ID, Customize	by Site, Function or Workflow with Xerox App		
rint Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®					
erox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning					
review	NA Preview of Scan/Fax with Zoom, Rotate, Add Page					
rint Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booket Creation, Store and Reca Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode					
Scan and Fax ²	NA		JPEG, TIFF; Convenience Feo Multi-Page PDF/XPS/TIFF/Po	(FTP/SMB), Scan File Formats: PDF, PDF/A, XPS tures: Scan to Home, Searchable PDF, Single/ assword Protected PDF, Fax Features: Walk-up F , Fax Forward to Email), Unified Address Book, on (OCR)		
OBILE AND CLOUD	READY					
Aobile Printing	Apple [®] AirPrint ^{®5} , Google Clou	d Print™ Ready, Xerox® Print Service and	Mopria® Print Service Plug-ins for And	lroid™, @PrintByXerox		
Mobility Options	Xerox [®] Mobile Print and Mobile Visit www.xerox.com/officer	e Print Cloud ⁴ , Connect via NFC/Wi-Fi Di 10bileapps for available apps.	rect Printing ⁴ , Xerox [®] Mobile Link App	(C405) ³ .		
Cloud Connectors ³	Print from/Scan to ⁶ Google Dri	ve™, Microsoft® OneDrive®, Dropbox™, N	licrosoft Office 365 [®] , Box [®] , Xerox [®] Do	cuShare® Platform4 and more		
ENCHMARK SECURI	ТҮ					
letwork Security	IPsec, HTTPS, encrypted email Services Engine (ISE) integration		TLS, Security Certificates, Pre-installe	d Self-signed Certificates, Cisco® Identity		
Device Access	Firmware Verification, User acc PIV/.NET), Xerox® Integrated C	cess and internal firewall, Port/IP/Domai Card Reader Bay	n Filtering, Audit Log, Access Controls,	User Permissions, Smart Card Enabled (CAC/		
Data Protection		vel Encryption via HTTPS/IPPS submissi 08) (C405), Encrypted Apps with Embedo		FIPS 140-2) and image overwrite, Common		
ocument Security	Secure Print, Secure Fax (C405), Secure Email (C405), Password Protect	ed PDF (C405)			
NABLES NEXT GENI	RATION SERVICES					
rint Management	Xerox [®] Workplace Suite and Xe	erox® Workplace Cloud4, Configuration C	loning, Xerox® Standard Accounting, E	Equitrac ⁴ , Y Soft ⁴ and more		
lanaging Print	Xerox® Device Manager, Xerox	[®] Support Assistance, Auto Meter Read,	Managed Print Services tools			
ustainability	Cisco EnergyWise®, Earth Sma	rt Printing, Print User ID on margins				
ATEWAY TO NEW P	55					
Cloud Services	Xerox [®] Easy Translator (C405) ⁴	, Xerox® Healthcare MFP (C405 – U.S. or	nly) ⁴ , CapturePoint™ (C405) ⁴ , many ad	ditional services available		
(erox App Gallery				[®] apps available for adding functions to the		

www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list; ⁶ Scan to available for C405.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Extra High Capacity Print Cartridges: Black: 10,500 std. pages ⁷ Cyan: 8,000 std. pages ⁷ Magenta: 8,000 std. pages ⁷ Yellow: 8,000 std. pages ⁷ High Capacity Print Cartridges: Black: 5,000 std. pages ⁷ Cyan: 4,800 std. pages ⁷	106R03524 106R03526 106R03527 106R03525 106R03512 106R03514	Standard Capacity Print Cartridges: Black: 2,500 std. pages ⁷ Cyan: 2,500 std. pages ⁷ Magenta: 2,500 std. pages ⁷ Yellow: 2,500 std. pages ⁷ Routine Maintenance Items: Imaging Unit (includes 4 imaging units): 60,000 std. pages each ⁸ Waste Cartridge: 30,000 std. pages ⁸	106R03500 106R03502 106R03503 106R03501 108R01121 108R01124	Options 550-sheet Feeder Productivity Kit with 320 GB HDD Stand Wireless Network Adapter (Wi-Fi Kit) External Card Reader/RFID Kit (C400) Internal Card Reader/RFID Kit (C405) ⁷ Average standard pages. Declared Yield in accord ISO/IEC 19798. Yield will vary based on image, of and print mode. ⁸ Approximate pages. Declared yield will vary depen- on job run length and media size/orientation ar machine speed. For more information, visit	nrea coverage nding nd
Cyan: 4,800 std. pages' Magenta: 4,800 std. pages' Yellow: 4,800 std. pages'	106R03514 106R03515 106R03513			machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF	
reliow: 4,800 sta. pages	106803513				

For more detailed specifications, go to www.xerox.com/VersalinkC400Specs or www.xerox.com/VersalinkC405Specs.

XEROX® VERSALINK® C500 COLOR PRINTER AND C505 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink C500/N	VersaLink C500/DN	VersaLink C505/S	VersaLink C505/X			
Speed	Up to 45 ppm letter/Up to 43 ppm A	44					
Duty Cycle ¹	Up to 120,000 pages/month ¹						
Processor/Memory/Hard Drive	1.05 GHz/2 GB/optional 320 GB HD	D	1.05 GHz/4 GB/optional 320 GE	3 HDD 1.05 GHz/4 GB/standard 320 GB HDI			
Connectivity	Ethernet 10/100/1000 Base-T, High supported), NFC Tap-to-Pair	-speed USB 3.0, Wi-Fi 802.11n and	Wi-Fi Direct with optional Wi-Fi Kit (conc	urrent wired and wireless connections			
Controller Features		Unified Address Book (C505), Configuration Cloning, Scan Preview (C505), Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting, Online Support					
Paper Handling Paper Input Standard	NA			ic Document Feeder (DADF): 100 sheets; 5 x 14 in./140 x 140 mm to 216 x 356 mm			
	Bypass Tray: Up to 150 sheets; Cus Tray 1: Up to 550 sheets; Custom si	tom sizes: 3 x 5 in. to 8.5 x 14 in./7 zes: 3 x 7.5 in. to 8.5 x 14 in./76 x 1	5 x 127 mm to 216 x 356 mm 90 mm to 216 x 356 mm				
Optional	Up to 4 Additional Trays: Up to 55 High Capacity Feeder: Up to 2,00	50 sheets; Custom sizes: 3 x 7.5 in. t 0 sheets; 8.5 x 11 in. to 8.27 x 11.69	o 8.5 x 14 in./76 x 190 mm to 216 x 356 r) in./216 x 356 mm to 210 x 297 mm	nm			
Paper Output Standard	500 sheets		400 sheets				
Automatic Two-sided Output	N/A	Standard					
Copy and Print Resolution	Print: Up to 1200 x 2400 dpi		Print: Up to 1200 x 2400 dpi; C	Copy: Up to 600 x 600 dpi			
First-page-out Time (as fast as)	Print: As fast as 10 seconds color/8.	5 seconds black-and-white	Print: As fast as 9 seconds colo Copy: As fast as 7 seconds colo				
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/	'HP-GL/Adobe [®] PostScript [®] 3™					
INTUITIVE USER EXPE	RIENCE						
Customize and Personalize	Walkup customization, Personalize I Gallery and Xerox® App Studio	Home Screen by User, Multiple Hor	ne Screens with Simple ID, Customize by	Site, Function or Workflow with Xerox App			
Print Drivers	Job Identification, Bi-directional Sta	itus, Job Monitoring, Xerox® Globa	Print Driver® and Mobile Express Driver®				
Xerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning						
Preview	NA Preview of Scan/Fax with Zoom, Rotate, Add Page						
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox [®] Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Reca Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode						
Scan	NA		SMB), Scan File Formats: PDF, I	(OCR), Scan to USB/Email/Network (FTP/ PDF/A, XPS, JPEG, TIFF; Convenience Feature: F, Single/Multi-Page PDF/XPS/TIFF/Password			
Fax ²	NA		Fax Features (C505/X only): Wo Forward to Email)	alk-up Fax (includes LAN Fax, Direct Fax, Fax			
MOBILE AND CLOUD R	EADY						
Mobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Prir	nt™ Ready, Xerox® Print Service and	Mopria® Print Service Plug-ins for Androi	d™, @PrintByXerox			
Mobility Options	Xerox [®] Mobile Print and Mobile Prin Visit www.xerox.com/officemobil		rect Printing ⁴ , Xerox [®] Mobile Link App (C	505) ³ .			
Cloud Connectors ³			licrosoft Office 365 [®] , Box [®] , Xerox [®] Docu	Share® Platform4 and more			
BENCHMARK SECURIT	Y						
Network Security	IPsec, HTTPS, encrypted email. Net Cisco® Identity Services Engine (ISE		/TLS, Security Certificates, Pre-installed S	elf-signed Certificates,			
Device Access	Firmware Verification, User access a (CAC/PIV/.NET), Integrated Card Re		n Filtering, Audit Log, Access Controls, Us	er Permissions, Smart Card Enabled			
Data Protection	Setup/Security Wizards, Job Level Er Criteria Certification (ISO 15408) (C	ncryption via HTTPS/IPPS submiss 505), Encrypted Apps with Embed	on, Encrypted hard disk (AES 256-bit, FIP ded Certificate Support	25 140-2) and image overwrite, Common			
Document Security	Secure Print, Secure Fax (C505/X), S						
ENABLES NEXT GENER	ATION SERVICES						
Print Management	Xerox [®] Workplace Suite and Xerox [®]	Workplace Cloud ⁴ , Configuration C	loning, Xerox® Standard Accounting, Equ	iitrac ⁴ , Y Soft ⁴ and more			
Managing Print	Xerox [®] Device Manager, Xerox [®] Sup	port Assistance, Auto Meter Read,	Managed Print Services tools				
Sustainability	Cisco EnergyWise [®] , Earth Smart Prir	•					
GATEWAY TO NEW POS	SIBILITIES						
Cloud Services	Xerox [®] Easy Translator (C505) ⁴ , Xero	ox® Healthcare MFP (C505 – U.S. o	nly)⁴, CapturePoint™ (C505)⁴, many addit	ional services available			
Xerox App Gallery	Many apps and cloud services avail	able Visit www.xerox.com/appa	Illery for a growing selection of Xerox® a	pps available for adding functions to the			

Certifications Extra High Capacity Toner Cartridges: Stand/Caster Base 097S04954 Cyan: 9,000 pages 106R03866 497K18360 To view the latest list of certifications, go to Productivity Kit with 320 GB HDD www.xerox.com/OfficeCertifications Magenta: 9,000 pages⁷ 106R03867 Wireless Network Adapter (Wi-Fi Kit) 497K16750 Yellow: 9,000 pages⁷ Cyan Drum Cartridge: 40,000 pages⁸ 106R03868 External Card Reader / RFID Kit 497K18380 **Supplies** 108R01481 Internal Card Reader / RFID Kit 497K18120 Standard Capacity Toner Cartridges: Magenta Drum Cartridge: 40,000 pages⁸ Yellow Drum Cartridge: 40,000 pages⁸ Black Drum Cartridge: 40,000 pages⁸ 108R01482 Black: 5,000 pages⁷ 106R03862 ⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage 108R01483 Cyan: 2,400 pages⁷ Magenta: 2,400 pages⁷ 106R03859 108R01484 106R03860 and print mode. Waste Cartridge: 30,000 pages⁸ 108R01416 Yellow: 2,400 pages⁷ 106R03861 ⁸ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. Options High Capacity Toner Cartridges: 550-sheet Feeder 097504949 For more information, visit http://www.office.xerox.com/latest/ Black: 12,100 pages⁷ 106R03869 2,000-sheet High Capacity Feeder SUPGL-01.PDF. Cyan: 5,200 pages⁷ 106R03863 (includes Stand/Caster Base) 097504948 Magenta: 5,200 pages⁷ 106R03864 Configurations vary by geography. 097S04994 Cabinet Yellow: 5,200 pages⁷ 106R03865

For more detailed specifications, go to www.xerox.com/VersaLinkC500Specs or www.xerox.com/VersaLinkC505Specs.

XEROX® VERSALINK® B600 PRINTER AND B605 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B600 Printer DN, DT, DX, DXF, DXP	VersaLink B605 Multifunction Printer S, X, SF, SP, XF, XP, XTF, XTP			
Speed	Up to 58 ppm letter/Up to 55 ppm A4				
Duty Cycle ¹	Up to 250,000 pages/month ¹				
Processor/Memory/Hard Drive	1.05 GHz ARM Dual Core/2 GB/Optional 320 GB HDD	1.05 GHz ARM Dual Core/2 GB/320 GB HDD			
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair				
Controller Features	Unified Address Book (B605), Configuration Cloning, Scan Preview (B605), Xerox Extensible Interface Platform [®] , Xerox [®] App Gallery, Xerox [®] Standard Accounting, Online Support (accessed from the user interface and print driver)				
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm			
ruper input standard	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm	mm to 216 x 356 mm			
Optional	Up to 4 Additional Trays (1 Additional Tray standard on B600/DT): Up to 55				
	356 mm High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; Standard sizes: 8,5 x 11 in./A4			
Paper Output Standard	500 sheets	400 sheets without finishing options; 500 sheets with finishing options			
Optional	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on SF, XF, XTF; not available on S, X, SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP, not available on S, X, SF, XF, XTF): Four 100-sheet bins			
Automatic Two-sided Output	Standard				
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi			
irst-page-out Time	Print: As fast as 6.3 seconds	Print: As fast as 7.5 seconds; Copy: As fast as 5.8 seconds from the Platen			
Page Description Languages	PCL [©] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]				
NTUITIVE USER EXPE	RIENCE				
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home ScreGallery and Xerox $^{\otimes}$ App Studio	ens with Simple ID, Customize by Site, Function or Workflow with Xerox App			
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print D	river® and Mobile Express Driver®			
Xerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Mana	igement, Cloning			
Preview	NA Preview of Scan/Fax with Zoom, Rotate, Add Page				
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and F Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft M				
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Feature Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF			
Fax ²	NA	Fax Features (B605/X, XF, XP, XTF, XTP only): Walk-up Fax (includes LAN Fax Direct Fax, Fax Forward to Email)			
MOBILE AND CLOUD RE	ADY				
Mobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Print [™] Ready, Xerox [®] Print Service and Mopric	[®] Print Service Plug-ins for Android™, @PrintByXerox			
Mobility Options	Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Prin Visit www.xerox.com/officemobileapps for available apps.	nting ⁴ , Xerox [®] Mobile Link App (B605) ³ .			
	Print from/Scan to ⁶ Google Drive [™] , Microsoft [®] OneDrive [®] , Dropbox [™] , Microsof	t Office 365®, Box®, Xerox® DocuShare® Platform4 and more			
Cloud Connectors ³					
	5				
BENCHMARK SECURITY	5	ecurity Certificates, Pre-installed Self-signed Certificates, Cisco® Identity			
BENCHMARK SECURITY Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se				
BENCHMARK SECURITY Network Security Device Access	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, So Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled			
BENCHMARK SECURITY Network Security Device Access Data Protection	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards. Job Level Encryption via HTTPS/IPPS submission. Enc	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common tificate Support			
BENCHMARK SECURITY Network Security Device Access Data Protection Document Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (B605), Encrypted Apps with Embedded Cer Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common tificate Support			
BENCHMARK SECURITY Network Security Device Access Data Protection Document Security ENABLES NEXT GENER	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (B605), Encrypted Apps with Embedded Cer Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common tificate Support : (B605)			
BENCHMARK SECURITY Network Security Device Access Data Protection Document Security ENABLES NEXT GENER/ Print Management	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (B605), Encrypted Apps with Embedded Cer Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common tificate Support : (B605) Xerox® Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more			
BENCHMARK SECURITY Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Managing Print	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (B605), Encrypted Apps with Embedded Cer Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox [®] Workplace Suite and Xerox [®] Workplace Cloud ⁴ , Configuration Cloning,	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common tificate Support 5 (B605) Xerox® Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more			
BENCHMARK SECURITY Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Managing Print Sustainability	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (B605), Encrypted Apps with Embedded Cer Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox® Workplace Suite and Xerox® Workplace Cloud ⁴ , Configuration Cloning, Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common tificate Support 5 (B605) Xerox® Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more			
BENCHMARK SECURITY Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Managing Print Sustainability GATEWAY TO NEW POS	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (B605), Encrypted Apps with Embedded Cer Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox® Workplace Suite and Xerox® Workplace Cloud ⁴ , Configuration Cloning, Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins SIBILITIES	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common tificate Support (B605) Xerox® Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more red Print Services tools			
Cloud Connectors ³ BENCHMARK SECURITY Network Security Device Access Data Protection Document Security ENABLES NEXT GENER/ Print Management Managing Print Sustainability GATEWAY TO NEW POS Cloud Services Xerox App Gallery	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (B605), Encrypted Apps with Embedded Cer Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox® Workplace Suite and Xerox® Workplace Cloud ⁴ , Configuration Cloning, Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common tificate Support (B605) Xerox® Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more red Print Services tools apturePoint™ (B605) ⁴ , many additional services available			

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications. Supplies Standard Capacity Toner Cartridge: Black: 10,300 pages ⁷ High Capacity Toner Cartridge: Black: 25,900 pages ⁷ Extra High Capacity Toner Cartridge: Black: 46,700 pages ⁷	106R03940 106R03942 106R03944	Options 550-sheet Feeder 2,000-sheet High Capacity Feeder (includes Stand/Caster Base) Cabinet Stand/Caster Base Finisher (500 sheets, 50-sheet stapler) 4-Bin Mailbox (100 sheets per bin) Wireless Network Adapter (Wi-Fi Kit) Productivity Kit with 320 GB HDD	097S04949 097S04994 097S04994 097S04954 097S04952 097S04953 497K16750 497K18360	 ⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode. ⁸ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF. Configurations vary by geography.
Black: 46,700 pages ⁷	106R03944	Productivity Kit with 320 GB HDD	497K18360	
Drum Cartridge: 60,000 pages ⁸	101R00582	RFID Card Reader Kit	497K18380	

For more detailed specifications, go to www.xerox.com/VersaLinkB600Specs or www.xerox.com/VersaLinkB605Specs.

XEROX® VERSALINK® B610 PRINTER AND B615 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B610 Printer DN, DT, DX, DXF, DXP	VersaLink B615 Multifunction Printer SF, SP, XF, XP, XTF, XTP			
peed	Up to 65 ppm letter/Up to 63 ppm A4				
Duty Cycle ¹	Up to 275,000 pages/month ¹				
Processor/Memory/Hard Disk Drive	1.05 GHz ARM Dual Core/2 GB/Optional 320 GB HDD	1.05 GHz ARM Dual Core/2 GB/320 GB HDD			
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair				
Controller Features	Unified Address Book (B615), Configuration Cloning, Scan Preview (B615), Xe Accounting, Online Support (accessed from the user interface and print drive				
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm			
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 8.5 in. to 8.5 x 14 in./76 x 1 Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm				
Optional	Up to 4 Additional Trays (1 Additional Tray standard on B610/DT): Up to 55) sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 m			
	High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4	High Capacity Feeder (Standard on XTF, XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4			
aper Output Standard	500 sheets	400 sheets without finishing options; 500 sheets with finishing options			
Optional	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on SF, XF, XTF; not available on SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP; not available on SF, XF, XTF): Four 100-sheet bins			
utomatic Two-sided Output	Standard				
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi			
irst-page-out Time	Print: As fast as 7.1 seconds	Print: As fast as 6.6 seconds; Copy: As fast as 5.4 seconds from the Platen			
age Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]				
NTUITIVE USER EX	PERIENCE				
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home ScreGallery and Xerox $^{\otimes}$ App Studio	eens with Simple ID, Customize by Site, Function or Workflow with Xerox App			
rint Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print I	Driver® and Mobile Express Driver®			
erox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Man	agement, Cloning			
review	NA Preview of Scan/Fax with Zoom, Rotate, Add Page				
rint Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and R Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft M				
ican	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF			
ax ²	NA	Fax Features (XF, XP, XTF, XTP only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)			
OBILE AND CLOUD	READY				
Nobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Print [™] Ready, Xerox [®] Print Service and Mopri	a® Print Service Plug-ins for Android™, @PrintByXerox			
Nobility Options	Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Pr Visit www.xerox.com/officemobileapps for available apps.	inting⁴, Xerox® Mobile Link App (B615)³.			
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive [™] , Microsoft [®] OneDrive [®] , Dropbox [™] , Microso	oft Office 365®, Box®, Xerox® DocuShare® Platform4 and more			
SENCHMARK SECURI					
letwork Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Services Engine (ISE) integration	Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity			
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filte (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay	ring, Audit Log, Access Controls, User Permissions, Smart Card Enabled			
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, En Criteria Certification (ISO 15408) (B615), Encrypted Apps with Embedded Ce	crypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common rtificate Support			
Oocument Security	Secure Print, Secure Fax (B615), Secure Email (B615), Password Protected PD	F (B615)			
NABLES NEXT GENE	RATION SERVICES				
rint Management	Xerox [®] Workplace Suite and Xerox [®] Workplace Cloud ⁴ , Configuration Cloning	j, Xerox [®] Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more			
lanaging Print	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Mana				
ustainability	Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins				
ATEWAY TO NEW PO					
	Xerox® Easy Translator (B615) ⁴ , Xerox® Healthcare MFP (B615 – U.S. only) ⁴ , C	apturePoint™(B615)4. many additional services available			
loud Services	Actor Lasy Hullslator (D015), Actor Healthcare Mit (D015 - 0.5. 0110), C				

www.xerox.com/OfficeCertifications, go to 550-sheet Feeder 097S04949 and print mode.	
Supplies 2,000-sheet High Capacity Feeder (includes Stand/Caster Base) 097504994 *Approximate pages. Declared yield w on job run length and media size/orie machine speed. For more information Black: 10,300 pages ⁷ 106R03940 Stand/Caster Base 097504994 High Capacity Toner Cartridge: 5tand/Caster Base 097504954 http://www.office.xerox.com/latest Black: 25,900 pages ⁷ 106R03942 Finisher (500 sheets, 50-sheet stapler) 097504952 http://www.office.xerox.com/latest Black: 25,900 pages ⁷ 106R03942 4-Bin Mailbox (100 sheets per bin) 097504953 Configurations vary by geography. Black: 46,700 pages ⁷ 106R03944 Wireless Network Adapter (Wi-Fi Kit) 497K18360 497K18360 Black: 46,700 pages ⁸ 101R00582 FinD Card Reader Kit 497K18380 Find Reader Kit	e/orientation and nation, visit atest/SUPGL-01.PDF.

For more detailed specifications, go to www.xerox.com/VersaLinkB610Specs or www.xerox.com/VersaLinkB615Specs.

DEVICE SPECIFICATIONS	VersaLink C600 Color Printer N, DN, DT, DX, DXF, DXP	VersaLink C605 Color Multifunction Printer X, XP, XF, XTF, XTP
Speed	Up to 55 ppm letter/Up to 53 ppm A4	
Duty Cycle ¹	Up to 120,000 pages/month ¹	
Processor/Memory/Hard Drive	1.05 GHz/2 GB/optional 320 GB HDD	1.05 GHz/4 GB/standard 320 GB HDD
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and supported), NFC Tap-to-Pair	Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features		D5), Xerox Extensible Interface Platform $^{\circ}$, Xerox App Gallery, Xerox $^{\circ}$ Standard
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes; 5.5 x 8 in. to 8.5 x 14 in./140 x 203 mm to 216 x 356 mm
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76	x 127 mm to 216 x 356 mm
e	Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 19	
Optional		p to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm
	High Capacity Feeder (Standard on DX, DXF, DXP): Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm
Paper Output Standard	500 sheets	C605X: 400 sheets; C605XP/XF/XTF/XTP: 500 sheets
Optional (Choose One)	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling	Finisher (Standard on XF and XTF, not available on X, XP, XTP): 500-sheet tray, 50-sheet stapling)
	Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Mailbox (Standard on XP and XTP, not available on X, XF, XTF): Four 100-sheet bins
Automatic Two-sided Output	Standard (not available on N configuration)	
Copy and Print Resolution	Print: Up to 1200 x 2400 dpi	Print: Up to 1200 x 2400 dpi; Copy: Up to 600 x 600 dpi
First-page-out Time (as fast as)	Print: As fast as 8 seconds color and black-and-white	Print: As fast as 10 seconds color and black-and-white Copy: As fast as 7 seconds color/5 seconds black-and-white
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]	
INTUITIVE USER EXPE		
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Hom Gallery and Xerox® App Studio	ne Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global	Print Driver® and Mobile Express Driver®
Xerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device	e Management, Cloning
Preview	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features		ox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall , Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax ²	NA	Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
MOBILE AND CLOUD R	EADY	
Mobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Print [™] Ready, Xerox [®] Print Service and	Mopria® Print Service Pluq-ins for Android™, @PrintByXerox
Mobility Options	Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Dir Visit www.xerox.com/officemobileapps for available apps.	
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, M	licrosoft Office 365 [®] Box [®] Xerox [®] DocuShare [®] Platform ⁴ and more
BENCHMARK SECURITY		
Network Security		TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity
Device Access	5 5	n Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled
Data Protection		on, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common led Certificate Support
Document Security	Secure Print, Secure Fax (C605), Secure Email (C605), Password Protect	
ENABLES NEXT GENER		
Print Management	Xerox® Workplace Suite and Xerox® Workplace Cloud ⁴ , Configuration Cl	Ioning Xerox® Standard Accounting Equitrac ⁴ V Soft ⁴ and more
Managing Print	Xerox [®] Device Manager, Xerox [®] Support Assistance, Auto Meter Read, I	
Sustainability	Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins	
GATEWAY TO NEW POS		
Cloud Services	Xerox® Easy Translator (C605) ⁴ , Xerox® Healthcare MFP (C605 – U.S. or	nlv)4. CapturePoint™ (C605)4. many additional services available
Xerox App Gallery		llery for a growing selection of Xerox [®] apps available for adding functions
		res analog phone line; ³ Free optional download from Xerox App Gallery to the Printer—
	; ⁶ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list; ⁶ Scan	
Certifications	Extra High Capacity Toner Cartridges:	550-sheet Feeder 097S0494
To view the latest list of certifica	ations, go to C600: Black: 16,900 pages ⁷	106R03919 2,000-sheet High Capacity Feeder
www.xerox.com/OfficeCertifi		106R03916 (includes Stand/Caster Base) 097S0494
Supplies and Options	C600: Magenta: 16,800 pages ⁷	106R03917 Cabinet 097S0499
Standard Capacity Toner Cartri	dges: C600: Yellow: 16,800 pages ⁷ C605: Black: 16,900 pages ⁷	106R03918 Stand/Caster Base 097S0495 106R03931 Productivity Kit with 320 GB HDD 497K1836

Supplies and Options		Cooo. Mugerita. 10,000 pages	1001(05517	Cubinet	0)/304)/4
Standard Capacity Toner Cartridges:		C600: Yellow: 16,800 pages ⁷	106R03918	Stand/Caster Base	097S04954
Black: 6,000 pages ⁷	106R03899	C605: Black: 16,900 pages ⁷	106R03931	Productivity Kit with 320 GB HDD	497K18360
Cyan: 6,000 pages ⁷	106R03896	C605: Cyan: 16,800 pages ⁷	106R03928	Wireless Network Adapter (Wi-Fi Kit)	497K16750
Magenta: 6,000 pages ⁷	106R03897	C605: Magenta: 16,800 pages ⁷	106R03929	External Card Reader / RFID Kit (C600)	497K18380
Yellow: 6,000 pages ⁷	106R03898	C605: Yellow: 16,800 pages ⁷	106R03930	Internal Card Reader / RFID Kit (C605)	497K18120
High Capacity Toner Cartridges: Black: 12,200 pages ⁷ Cyan: 10,100 pages ⁷ Magenta: 10,100 pages ⁷ Yellow: 10,100 pages ⁷	106R03903 106R03900 106R03901 106R03901	Cyan Drum Cartridge: 40,000 pages ⁸ Magenta Drum Cartridge: 40,000 pages ⁸ Yellow Drum Cartridge: 40,000 pages ⁸ Black Drum Cartridge: 40,000 pages ⁸ Waste Cartridge: 30,000 pages ⁸	108R01485 108R01486 108R01487 108R01488 108R01416	⁷ Average standard pages. Declared Yield in accord 19798. Yield will vary based on image, area coverd ⁸ Approximate pages. Declared yield will vary do on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-1	age and print mode. epending

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersaLinkC600Specs or www.xerox.com/VersaLinkC605Specs.

XEROX® VERSALINK® B7025/B7030/B7035 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B7025	VersaLink B7030	VersaLink B7035				
Speed	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm				
Monthly Duty Cycle ¹	Up to 107,000 pages	Up to 129,000 pages	Up to 153,000 pages				
Hard Drive/Processor/Memory	320 GB HDD²/1.05 GHz Dual-core/2 GB memory						
Connectivity	Ethernet 10/100/1000 Base-T, High-speed US	5B 3.0, Wi-Fi [®] and Wi-Fi Direct [®] with option	al Wi-Fi Kit				
Controller Features	Unified Address Book, Configuration Cloning, Scan Preview, Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting, Role Based Permissions, Convenience Authentication Enabled, Online Support						
Copy and Print Resolution	Copy: Up to 600 x 600 dpi; Print: Up to 1200						
First-copy-out Time (as fast as)	As fast as 6.8 seconds	As fast as 5.4 seconds	As fast as 5.4 seconds				
First-print-out Time	As fast as 10.4 seconds	As fast as 9.1 seconds	As fast as 9.1 seconds				
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/op	otional Adobe® PostScript® 3™					
Paper Input Standard	Duplex Automatic Document Feeder (DADF): 110 sheets: Standard sizes: 5.5 x 8.5 in. to 11 x 17 in./A5 to A3; Custom sizes (duplex): 4.1.69 x 17 in./125 x 110 mm to 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in./125 x 85 mm to 297 x 431.8 mm;						
	Bypass Tray: 100 sheets; Custom sizes: 3.5 x	3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to	297 x 431.8 mm				
	Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in	. to 11.69 x 17 in./139.7 x 182 mm to 297 x 4	i31.8 mm				
Choose One	Tray 3: 870 sheets; Standard sizes: 8.5 x 11 in.	sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x ts each; Custom sizes: 5.5 x 7.17 in. to 11.69 1: Tray 2: 520 sheets; Custom sizes: 5.5 x 7.17 and 7.25 x 10.5 in./A4 or B5; Tray 4: 1,130 sl	182 mm to 297 x 431.8 mm x 17 in./139.7 x 182 mm to 297 x 431.8 mm in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm; neets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5				
Optional	High-Capacity Feeder (HCF): 2,000 sheets;		1 x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm n./A4 or B5				
Paper Output/ Standard	Dual Catch Tray ² : 250 sheets each; Lower t	ray offsets					
Finishing Optional	-	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch)					
NTUITIVE USER EXPE	RIENCE						
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio						
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®						
Kerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning						
Preview	Preview of Scan/Fax with Zoom, Rotate, Add Page						
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Rec Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Moc					
Scan	Optical Character Recognition (OCR), Scan to to Home, Searchable PDF, Single/Multi-Page		ormats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Sco				
Fax ³	Optional Walk-up Fax (one-line or three-line o	ptions available, includes LAN Fax, Direct F	ax, Fax Forward to Email), optional Fax Over IP				
MOBILE AND CLOUD R	EADY						
Aobile Printing	Apple [®] AirPrint ^{®6} , Google Cloud Print [™] Ready	, Xerox® Print Service and Mopria® Print Serv	rice Plug-ins for Android™, @PrintByXerox				
Mobility Options	Xerox [®] Mobile Print and Mobile Print Cloud ⁵ , Visit www.xerox.com/officemobileapps for	5.	x [®] Mobile Link App ⁴ .				
Cloud Connectors ⁴			[®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁵ and more				
BENCHMARK SECURIT							
Network Security	IPsec, HTTPS, encrypted email. Network Auth Services Engine (ISE) integration	nentication, SNMPv3, SSL/TLS, Security Cert	ificates, Pre-installed Self-signed Certificates, Cisco® Identity				
Device Access		-	og, Access Controls, User Permissions, Smart Card Enabled				
Data Protection		via HTTPS/IPPS submission, Encrypted hard	disk (AES 256-bit, FIPS 140-2) and image overwrite, Common				
Document Security	Secure Print, Secure Fax, Secure Email, Passw						
NABLES NEXT GENER							
Print Management		e Cloud ⁵ , Configuration Clonina. Xerox® Sta	ndard Accounting, Equitrac ^s , Y Soft ^s and more				
Managing Print	Xerox® Device Manager, Xerox® Support Assis						
Sustainability	Cisco EnergyWise [®] , Earth Smart Printing, Prin	-					
GATEWAY TO NEW POS							
Cloud Services	Xerox® Easy Translator ⁵ , Xerox® Healthcare M	FP (U.S. only) ⁵ , CapturePoint™ ⁵ many addit	ional services available				
Xerox App Gallery			g selection of Xerox® apps available for adding functions to the				
		a regular basis; ² HDD and Dual Catch Tray are					

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Requires analog phone line; ⁴ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁵ Purchased option; ⁶ Visit www.apple.com for AirPrint Certification list.

For more detailed specifications, go to www.xerox.com/VersaLinkB7000Specs.

XEROX[®] VERSALINK[®] C7000 COLOR PRINTER

DEVICE SPECIF	ICATIONS	VersaLink C7000N VersaLink C7000DN				
Speed		Up to 35 ppm				
Monthly Duty Cycle ¹		Up to 153,000 pages				
Hard Drive/Processor/Memory		320 GB HDD ² /1.05 GHz Dual-core/2 GB memory				
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair				
Controller Features		Configuration Cloning, Xerox Extensible Interface Platform [®] , Xerox App Gallery, Xerox [®] Standard Accounting Tool, Role Based Permissions, Convenience Authentication Enabled, Online Support				
Print	Resolution	Up to 1200 x 2400 dpi				
First-print-out Time		As fast as 7.6 seconds color / 5.1 seconds black-and-white				
Page Description Lar	nguages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™				
Paper Input	Standard	Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm				
	Optional	Single Tray Module: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Three Tray Module (1,560 sheets): 520 sheets each; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm				
Paper Output/ Finishing	Standard	Catch Tray: 500 sheets, offsets				
	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling				
Automatic Two-sideo	d Printing	NA Standard				
NTUITIVE U	SER EXPE	RIENCE				
Customize and Perso	onalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio				
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®				
Embedded Web Serv	/er	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning				
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blank Pages, Draft Mode				
MOBILE AND	CLOUD R	EADY				
Mobile Printing		Apple® AirPrint®5, Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™, @PrintByXerox				
Mobility Options		Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ Visit www.xerox.com/officemobileapps for available apps.				
Cloud Connectors ³		Print from Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform4 and more				
BENCHMARK	SECURIT	Y				
Network Security		IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration				
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader Bay				
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite ² , Encrypted Apps with Embedded Certificate Support				
Document Security		Secure Print				
NABLES NEX	T GENER	ATION SERVICES				
Print Management		Xerox [®] Workplace Suite and Xerox [®] Workplace Cloud ⁴ , Configuration Cloning, Xerox [®] Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more				
Aanaging Print		Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools				
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins				
GATEWAY TO	NEW POS	SIBILITIES				
Xerox App Gallery		Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® apps available for adding functions.				
Maximum volume cap	pacity expected	in any one month. Not expected to be sustained on a regular basis; ² HDD optional; ³ Free optional download from Xerox App Gallery to the Printer—				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD optional; ³ Free optional download from Xerox App Gallery to the Printer www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

Certifications		CMYK Drum Cartridge: 82,200 pages ⁷	113R00782	⁶ Average standard pages. Declared Yield in accordance with ISO/
To view the latest list of certifications, go to		Waste Toner Bottle: 21,200 pages ⁷	115R00129	IEC 19798, Yield will vary based on image, area coverage and
www.xerox.com/OfficeCertifications		120V Fuser	115R00137	print mode. ⁷ Approximate pages. Declared yield will vary depending
Supplies Standard Capacity Toner Cartridges: Black: 5,300 pages ⁶ Cyan: 3,300 pages ⁶ Magenta: 3,300 pages ⁶ Yellow: 3,300 pages ⁶ High Capacity Toner Cartridges: Black: 10,700 pages ⁶ Cyan: 10,100 pages ⁶ Magenta: 10,100 pages ⁶ Yellow: 10,100 pages ⁶	106R03761 106R03764 106R03763 106R03762 106R03760 106R03759 106R03759 106R03758	Options Single Tray Module Single Tray with Stand Module Three Tray Module Envelope Tray (Replaces Tray 1) HDD (320 GB Hard Drive) Wireless Network Adapter (Wi-Fi Kit) Internal Card Reader / RFID Kit	097S04910 097S04907 097S04908 497K17720 497K17740 497K16750 497K18120	on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF. Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/C7000PrinterSpecs.

XEROX® VERSALINK® C8000 AND C9000 COLOR PRINTERS

DEVICE SPECIFICATIONS	VersaLink C8000DT	VersaLink C9000	DT		VersaLink C9000GX	
Speed	Up to 45 ppm letter/A4	Up to 55 ppm lett	er/A4			
Monthly Duty Cycle ¹	205,000	270,000				
lard Drive/Processor/Memory	Optional 320 GB HDD/1.6					
Connectivity		ase-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair				
Controller Features		rox Extensible Interface Platform®, Xerox Ap on Enabled, Online Support	o Gallery, Xerox® Stand	lard Accou	inting Tool, Role Based Permissions,	
Print Resolution	Up to 1200 x 2400 dpi					
First-print-out Time	As fast as 11 seconds colo 9.7 seconds black and whi		onds color/10 seconds	black and	l white	
Page Description Languages		IFF/JPEG/HP-GL [®] /Adobe [®] PostScript [®] 3™				
Color Management	Embedded spot color table Corrections	swap out PANTON Custom spot color	blor table with the abili IE® approved color tab editor, optional Xerox [®] agement System softw	le, ®	Embedded spot color table with the out PANTONE approved color table, color editor, Xerox [®] Precise Color Mc System software	Custom spot
Paper Input Standard	d Bypass Tray: Up to 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 19 in./88.9 x 98.4 mm to 320 x 482.6 mm; Banners: 12.6 x 52 in./320 x 1,320.8 mm (C8000: 64 to 300 gsm; C9000: 64 to 350 gsm) Tray 1: Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 11.7 x 17 in./100 x 148 mm to 297 x 431.8 mm (64 to 300 gsm) Tray 2: Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm)			ato: Custom		
	Optional				Two Tray Module: Up to 1,040 she sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 to 320 x 457.2 mm (64 to 300 gsm)	
Optional		p to 2,000 sheets; 8.5 x 11 in., 7.25 x 10.5 in.				
		p to 2,000 sheets; 8.5 x 11 in., 7.25 x 10.5 in.			0.acm)	
Paper Output/Finishing Standard		Tray 1): Up to 50 envelopes: #10 Commercia standard when finishers are not attached): 2		100 10 30	U gsill)	
Optional	Office Finisher: 2,000-sh BR Booklet Maker Finish	eet stacker, 50 sheets stapled, 3-position sta eet stacker, 50 sheets stapled, 3-position sta eets, 64 pages) and V-folding	pling, optional hole pu			
Automatic Two-sided Printing	Standard					
INTUITIVE USER EXPE						
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio					
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®					
Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning					
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blank Pages, Draft Mode					
MOBILE AND CLOUD R		Maria rages, Braremode				
Mobile Printing		Cloud Print™ Ready, Xerox® Print Service a	nd Mopria® Print Servi	ice Plug-in	s for Android™, @PrintByXerox	
Mobility Options	Xerox® Mobile Print and Mobile Print Cloud ³ , Connect via NFC/Wi-Fi Direct Printing ³ Visit www.xerox.com/officemobileapps for available apps.					
Cloud Connectors ⁴ BENCHMARK SECURIT	v	Microsoft [®] OneDrive [®] , Dropbox [™] , Microso	ft Office 365 [®] , Box [®] , X	(erox [®] Doo	cuShare® Platform ³ and more	
Network Security	IPsec, HTTPS, Network Au	uthentication, SNMPv3, SSL/TLS, Security (Certificates, Pre-install	ed Self-sig	ned Certificates	
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card-Enabled (CAC/PIV/.NET), Xerox [®] Integrated RFID Card Reader Bay					ırd-Enabled
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite ⁵ , Encrypted Apps with Embedded Certificate Support					
Document Security	Secure Print					
ENABLES NEXT GENER			a			
Print Management	Xerox® Workplace Suite and Xerox® Workplace Cloud ³ , Configuration Cloning, Xerox® Standard Accounting, Equitrac ³ , Y Soft ³ and more					
Managing Print	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools					
Sustainability	55	Smart Printing, Print User ID on margins				
GATEWAY TO NEW POS Xerox App Gallery		vices available. Visit www.xerox.com/app	adlery for a growing	coloction	of Yerov [®] apps available for addised	unctions
	in any one month. Not expect	ed to be sustained on a regular basis; ² Visit www				
Certifications To view the latest list of certificatio www.xerox.com/OfficeCertificat Supplies Standard Capacity Toner Cartridge	tions.	Standard Capacity Toner Cartridges for C Black: 18,900 pages ⁶ Cyan: 12,300 pages ⁶ Magenta: 12,300 pages ⁶ Yellow: 12,300 pages ⁶	9000: 106R04065 106R04062 106R04063 106R04064	softwar Two Tray Tandem	recise Color Management System re for C9000DT (standard on GX) / Module Tray Module	097S04974 097S04969 097S04970
Black: 12,600 pages ⁶ Cyan: 7,600 pages ⁶ Magenta: 7,600 pages ⁶	106R04037 106R04034 106R04035 106R04035 106R04036	High Capacity Toner Cartridges for C900 Black: 31,400 pages ⁶ Cyan: 26,500 pages ⁶ Magenta: 26,500 pages ⁶	0: 106R04077 106R04074 106R04075	Envelope Office Fi 2/3 Hole	Punch for Office Finisher	097S04845 497K17880 097S04848 497K03860
Yellow: 7,600 pages ⁶	106K04036	Yellow: 26,500 pages ⁶	106R04076	Booklet I	Maker for Office Finisher	497K03852

Magenta: 7,600 pages° Yellow: 7,600 pages ⁶	106R04035 106R04036	Magenta: 26,500 pages ⁶	106R04074	2/3 Hole Punch for Office Finisher Booklet Maker for Office Finisher	497K03860 497K03852
High Capacity Toner Cartridges for C8000:	406004040	Yellow: 26,500 pages ⁶ Routine Maintenance Items:	106R04076	Booklet Maker Finisher with 2/3 Hole Punch	097S04981
Black: 20,900 pages ⁶ Cyan: 16,500 pages ⁶	106R04049 106R04046	Drum Cartridge: 190,000 pages each color ⁷ /	101000000	HDD (320 GB Hard Drive for C8000) Wireless Network Adapter (Wi-Fi Kit)	097S04971 497K16750
Magenta: 16,500 pages ⁶ Yellow: 16,500 pages ⁶	106R04047 106R04048	190,000 pages black ⁷ Waste Cartridge: Up to 47,000 pages ⁷	101R00602 108R01504	Internal Card Reader/RFID Kit	497K18120
renow. 10,500 pages	100100000	IBT Cleaner: Up to 160,000 pages ⁷ Transfer Roller: Up to 200,000 pages ⁷	104R00256 116R00015	⁶ Average standard pages. Declared Yield in accordar 19798. Yield will vary based on image, area coverage	and print mode.
		mansier molient op to 200,000 pages		⁷ Approximate pages Declared yield will vary depe	anding on ioh

19798. Yield will vary based on image, area coverage and print mode. ⁷ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed.

Configurations vary by geographical location.

For more detailed specifications, go to www.xerox.com/C8000PrinterSpecs or www.xerox.com/C9000PrinterSpecs.

XEROX[®] VERSALINK[®] C7020/C7025/C7030 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIF	ICATIONS	VersaLink C7020	VersaLink C7025	VersaLink C7030				
Speed		Up to 20 ppm	Up to 25 ppm	Up to 30 ppm				
Monthly Duty Cycle	1	Up to 87,000 pages	Up to 107,000 pages	Up to 129,000 pages				
Hard Drive/Processo	or/Memory	320 GB HDD ² /1.05 GHz Dual-core/4 G	B memory					
Connectivity		Ethernet 10/100/1000 Base-T, High-sp	beed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional	Wi-Fi Kit, NFC Tap-to-Pair				
Controller Features		5	loning, Scan Preview, Xerox Extensible Interface Plat Authentication Enabled, Online Support	tform®, Xerox App Gallery, Xerox® Standard Accounting Tool,				
Copy and Print	Resolution	Copy: Up to 600 x 600 dpi; Print: Up t	to 1200 x 2400 dpi					
First-copy-out Time	(as fast as)		As fast as 7.2 seconds color/					
				5.8 seconds black-and-white				
First-print-out Time		As fast as 9.4 seconds color/ 7.2 seconds black-and-white	As fast as 9.4 seconds color/ 7.1 seconds black-and-white	As fast as 7.3 seconds color/ 5.6 seconds black-and-white				
Page Description La	anguages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe® PostScript® 3™						
Paper Input	Standard							
		Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm						
		Tray 1: 520 sheets; Custom sizes: 5.5 x	x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 43	31.8 mm				
	Choose One	Single Tray with Stand: 520 sheets; Three Tray Module (1,560 sheets): 53 High-Capacity Tandem Tray (2,520	-	82 mm to 297 x 431.8 mm				
	Optional		10 commercial, Monarch, DL, C5; Custom sizes: 3.9 » sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in	x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm ./A4 or B5				
Paper Output/	Standard	Dual Catch Tray ² : 250 sheets each;	Dual Catch Tray ² : 250 sheets each; Lower tray offsets					
Finishing	Optional	0) ole-punch, optional booklet maker (score, saddle stitch)				
INTUITIVE	JSER EXPE							
Customize and Pers	onalize	Walkup customization, Personalize Ho Xerox App Gallery and Xerox [®] App Stu		ple ID, Customize by Site, Function or Workflow with				
Print Drivers			s, Job Monitoring, Xerox® Global Print Driver® and M	lobile Express Driver®				
Embedded Web Ser	rver	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning						
Preview of Scan/Fax with Zoom, Rotate, Add Page								
Print Features								
Scan		Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF						
Fax ³		Optional Walk-up Fax (one-line or thre	e-line options available, includes LAN Fax, Direct Fa	x, Fax Forward to Email), optional Fax Over IP				
MOBILE AND	CLOUD R	EADY						
Mobile Printing		Apple [®] AirPrint ^{®6} , Google Cloud Print [™]	' Ready, Xerox® Print Service and Mopria® Print Servi	ce Plug-ins for Android™, @PrintByXerox				
Mobility Options		Xerox [®] Mobile Print and Mobile Print Cloud ⁵ , Connect via NFC/Wi-Fi Direct Printing ⁵ , Xerox [®] Mobile Link App ⁴ . Visit www.xerox.com/officemobileapps for available apps.						
Cloud Connectors ⁴		Print from/Scan to Google Drive™, Mic	rosoft® OneDrive®, Dropbox™, Microsoft Office 365®	^o , Box [®] , Xerox [®] DocuShare [®] Platform ⁵ and more				
BENCHMARK	SECURIT	-						
Network Security		IPsec, HTTPS, encrypted email. Netwo Services Engine (ISE) integration	ork Authentication, SNMPv3, SSL/TLS, Security Certif	icates, Pre-installed Self-signed Certificates, Cisco® Identity				
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Integrated Card Reader Bay						
Data Protection								
Document Security		Secure Print, Secure Fax, Secure Email						
		ATION SERVICES						
Print Management			orkplace Cloud ⁵ , Configuration Cloning, Xerox® Stan	dard Accounting Tool, Equitrac ⁵ , Y Soft ⁵ and more				
Managing Print		Xerox® Device Manager, Support Assistance, Auto Meter Read, Managed Print Services tools						
Sustainability		Cisco EnergyWise®, Earth Smart Printi						
GATEWAY TO	NEW PO							
Cloud Services			ncare MFP Solution (U.S. only) ⁵ , CapturePoint ^{™5} , mar	ny additional services available				
Xerox App Gallery		-		selection of Xerox® apps available for adding functions.				
	apacity expected			ptional on Desktop model; ³ Requires analogue phone line;				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Requires analogue phone ⁴ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁵ Purchased option; ⁶ Visit www.apple.com for AirPrint Certification list.

For more detailed specifications, go to www.xerox.com/VersaLinkC7000Specs.

2018 Winter Pick Awards



XEROX[®] VERSALINK[®] C505

Outstanding Color Multifunction Printer for Mid-Size Workgroups

2018 Article 2018 Certificate



XEROX[®] VERSALINK[®] C7025

Outstanding 25-ppm Color Copier MFP

2018 Article 2018 Certificate

2018 Winter Pick Award for Exceptional Monochrome Printer and MFP

XEROX® VERSALINK®

B600/B605

Award Flyer

2018 BLI Winter Pick Awards for Exceptional Copier MFPs 🦅

XEROX[®] VERSALINK[®] B7025/B7035

Award Flyer

Outstanding 25-ppm and 35-ppm Copier MFPs <u>Award Flyer</u>

2018 BLI Winter Pick Awards
for Exceptional Color Printers
and MFPs XEROX® VERSALINK® C7020
Outstanding 20-ppm Color
Copier MFP

XEROX® VERSALINK® C500 Outstanding Color Printer for Mid-Size Workgroups Award Flyer

XEROX[®] VERSALINK[®] C600

Outstanding Color Printer for Large Workgroups <u>Award Flyer</u>

XEROX[®] VERSALINK[®] C7000

Outstanding Tabloid Color Printer for Mid-Size Workgroups <u>Award Flyer</u>

2017 Summer Pick Awards



XEROX[®] VERSALINK B400

Outstanding Printer for Mid-Size Workgroups

2017 Article 2017 Certificate



XEROX[®] VERSALINK C400

Outstanding Color Printer for Mid-Size Workgroups 2017 Article 2017 Certificate



XEROX® VERSALINK C405 Outstanding Color Multifunction Printer for Mid-Size Workgroups

2017 Article 2017 Certificate

2018 Better Buys for Business Innovative Product of the Year Award

XEROX® VERSALINK® B7025/B7030/B7035 Black-and-white MFP category Award Flyer

2018 Better Buys for Business Editor's Choice Award

XEROX® VERSALINK ®C505 Award Flyer

2017 Better Buys for Business Editor's Choice Awards

XEROX® VERSALINK® B400/B405 Award Flyer

XEROX® VERSALINK® B7025/B7030/B7035 Award Flyer

XEROX® VERSALINK® C400/C405 Award Flyer

Awards

2017 - 2018 BLI PaceSetter Awards



DOCUMENT IMAGING SECURITY CATEGORY

2017 Article 2017 Certificate

MOBILE PRINT CATEGORY

2017 Article 2017 Certificate



MFP PLATFORMS AND APP ECOSYSTEMS CATEGORY

2017 Article 2017 Certificate



XEROX[®] CONNECTKEY[®] TECHNOLOGY

Outstanding Achievement in Innovation, Summer 2016

2016 Article 2016 Certificate



XEROX[®] EASY TRANSLATOR SERVICE

Outstanding Achievement in Innovation, Summer 2016

2016 Article 2016 Certificate



XEROX[®] APP STUDIO

Outstanding Achievement in Innovation, 2015

2015 Article 2015 Certificate



2014, 2015, 2016 AND 2017 BLI DOCUMENT IMAGING SOFTWARE LINE OF THE YEAR

2017 Article 2017 Certificate

Read more about our award winning products and solutions in our **Awards Brochure**.

For more information visit us at www.connectkey.com.

©2018 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver®, MeterAssistant®, Mobile Express Driver®, SuppliesAssistant®, Xerox Extensible Interface Platform® and VersaLink® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. Updated 10/18 BR21342 XOGEG-06UK

